

PORCELANOSA






PORCELANOSA

INNOVATION


Minimalist and Elegant, Beautiful and Comfortable
Break through tradition, bring innovative bathroom concept



Who We Are?

CONTENTS

P₀₇ **Intelligent Bidets**



P₁₀₃ **Ceramic Toilet Series**



P₁₁₃ **Cisterns**



P₁₅₉ **Personal Care**



D81-01

Smart Comfort Remote Control

Ensure the most hygienic and comfortable experience



Rear Wash

Designed to meet thorough cleansing needs. Rear wash uses a soft peripheral and focused center stream on the body maximising cleaning efficacy.



Lady Wash

Lady wash supplies a more generous and gentler cleansing stream for rinsing with care.



Warm Air Dryer

After a refreshing wash, you can use a warm air dryer to eliminate any unpleasant dampness. Ambient air temperature can be adjusted as needed.



Pulsating & Oscillating Massage

The washing nozzle delivers the selected water stream with alternating determination and forward-backward movement for a relaxing massage and enhancing cleaning effect.



Adjustable Water Flow

You can increase or decrease the intensity of the water flow as needed. Personal preference can be memorised.




Adjustable Nozzle

The position of the washing nozzle can be adjusted and memorised to your personal preference.



Adjustable Air Temperature

In the process of drying, repeatedly press the " Adjust temperature " button on the remote control until the air temperature icon is lighted, then press the " Increase " or " Decrease " button to adjust air temperature.



Adjustable Water Temperature

No matter how cold the water is in winter, water temperature can be adjusted precisely to your preference for the most comfortable and safe range for the human body. Your preference can be memorised.



Night Light

Bright lights disrupt the ability to sleep. Soft glowing night-light highlighting the contours of the toilet is to safely guide your approach and departure in low-lit conditions at night.



Odor Extraction

When the seat is occupied, it will automatically suck the unpleasant odours into the diatom mud by the fan inside.




User Presets

Personal preference can be memorised and extracted.



Stop



Comfortable Experience

D81-06

Smart Comfort Remote Control

Easy, convenient, enjoyable



Comfort



Rear Wash

Meet the need for thorough cleaning .
Using a soft peripheral and focused center stream on the body maximising cleaning efficacy.



Lady Wash

Supply with a more generous and gentler cleansing stream for rinsing. Give you the most intimate care.



Warm Air Dryer

After a refreshing wash, with warm air drying , feel more comfortable.



Pulsating & Oscillating Massage

The washing nozzle delivers the selected water stream with alternating determination and forward-backward movement for a relaxing massage and enhancing cleaning effect.



Cover Opening/Closing

A hands-free hygiene experience.
Push the button to open/close the cover



Seat Opening/Closing

A hands-free hygiene experience.
Push the button to open/close the cover



Adjustable Water Flow Rate

Increase or decrease the intensity of the water flow as needed. Personal preference can be recorded.



Adjustable Nozzle Position

Allow users of any size to find the best washing position.



Adjustable Drying Airflow Rate

Through the adjustable air speed, enjoy the extreme warmth and comfort of the warm air drying .



Adjustable Water Temperature

No matter how cold the water is in winter, water temperature can be adjusted accurately to your preference within the most comfortable and safe range.



Adjustable Seat Temperature

As the seasons change, the heating seat temperature can be adjusted according to your personal needs.



Adjustable Air Temperature

Warm air drying provides a comfortable and fast drying function. As per personal preference to adjust the air drying temperature .



Full flush (6L)

Powerful and sufficient water flow to ensure cleaning of ceramic toilet.



Half flush (3L)

Water-saving flush available when preferred.



Stop

D81-03

Essential Remote Control

Simple, clear, easy to operate



Rear Wash

Designed to meet thorough cleansing needs. Rear wash uses a soft peripheral and focused center stream on the body maximising cleaning efficacy.



Lady Wash

Lady wash supplies a more generous and gentler cleansing stream for rinsing with care.



Adjustable Water Flow

You can increase or decrease the intensity of the water flow as needed.



Adjustable Nozzle

The position of the washing nozzle can be adjusted for perfect cleaning.



Adjustable Temperature

You can increase or decrease the water or dry air temperature for your most pleasant experience.



Warm Air Dryer

After a refreshing wash, you can use a warm air dryer to eliminate any unpleasant dampness. Ambient air temperature can be adjusted as needed.



Auto Flushing

Safe and hygienic, say goodbye to dirt and germs forever

Rimless Toilet

From now on, there is no place for dirt and germs to hide, making for a more attractive, and hygienic toilet.

Vortex Flushing System

Only 3 seconds for instant cleaning through two-way 180° flush, vortex flushing system delivers a powerful flushing action every time it is triggered.

Antibacterial Seat

Seats that naturally come into contact with skin contain safe anti-microbial additives which being a part of the material itself, do not lose their efficacy after the surface is wiped clean through thousands of times.



Tornado Flush



Rimless Design



Tornado Flush

Powerful streams of water merge and swirl 360 degrees, washing every spot inside the rimless toilet bowl. Efficient flushing with less water.



Automatic Lighting

Automatic soft light guides you to the toilet friendly in the midnight.





Auto Open & Close

When you approach the toilet, a sensor recognizes your presence and the cover would open by itself. When you leave, the seat and cover would close automatically.

Preset function can be realized by the remote control.



Calcium Removal

Add descaling liquid to remove calcium regularly



Quick Release

To remove the seat and cover for cleaning, simply keep them vertical by pressing a switch button and take off directly





Adjustable Air Dryer

The warm air dryer provides comfortable and fast drying. Air temperature can be adjusted precisely to your preference.



Warm Toilet Seat

As the seasons change, it can maximize your comfort to incorporate adjustable seat heating that can be set to your individual needs



Keep Air Fresh and Odorless
Enjoy more hygiene



Pleasant Enjoyment of Washing



Comfortable, Hygienic



Lady Wash



Rear Wash



Pulsating massage



Oscillating massage



E400

Integrated Intelligent Bidet



Dimension 593 X 384 X 459 mm

Remote control: D81-01, D81-02, D81-03

Wall Hung Version



Floor-standing Version



Technology Creates Fashion

Intelligent bidet with touchless flushing system, a perfect solution for modern bathroom




E401

Integrated Intelligent Bidet


Dimension 593 X 384 X 370 mm

Remote control: D81-01, D81-02, D81-03

Wall Hung Version



Floor-standing Version




Advanced Technology Lights Your Bathroom

No Awkwardness in Bathroom. Light Your Mood and Soothe Your Mind.



Intelligent Touch

Touch it , Love it



Rear Wash

Designed to meet thorough cleansing needs. Rear wash uses a soft peripheral and focused center stream on the body maximising cleaning efficacy.



Lady Wash

Lady wash supplies a more generous and gentler cleansing stream for rinsing with care.



Warm Air Dryer

After a refreshing wash, you can use a warm air dryer to eliminate any unpleasant dampness. Ambient air temperature can be adjusted as needed.



Adjustable Air Temperature

In the process of drying, rotate the knob to adjust the air temperature. The air temperature increases if rotate the knob clockwise, decreases if anticlockwise.



Adjustable Water Temperature

Press and meanwhile rotate the knob to adjust the water temperature. The water temperature increases if rotate the knob clockwise, decreases if anticlockwise.



Adjustable Water Flow

Rotate the knob to adjust the water flow. The flow rate increases if rotate the knob clockwise, decreases if anticlockwise.



Odor Extraction

When the seat is occupied, it will automatically suck the unpleasant odours into the diatom mud by the fan inside.





E402

Integrated Intelligent Bidet



Dimension 593 X 396 X 459 mm

Remote control: D81-01, D81-02, D81-03

Wall Hung Version



Floor-standing Version



Different Color Different Style
Stylish front glass cabinet cisterns to achieve gorgeous transformation of the bathroom


E403

Integrated Intelligent Bidet


Dimension 593 X 396 X 370 mm

Remote control: D81-01, D81-02, D81-03

Wall Hung Version



Floor-standing Version




Concentrated Attention to Details

Convenient operation for all users
Characteristic functions to satisfy your needs

Absolutely Discreet Elegance

Pure and Fuss-free Design



Rear Wash

Designed to meet thorough cleansing needs. Rear wash uses a soft peripheral and focused center stream on the body maximising cleaning efficacy.



Warm Air Dryer

After a refreshing wash, you can use a warm air dryer to eliminate any unpleasant dampness. Ambient air temperature can be adjusted as needed.



Adjustable Water Temperature

In the process of washing, press the "+" or "-" icon on the knob to increase or decrease the water temperature.



Odor Extraction

When the seat is occupied, it will automatically suck the unpleasant odours into the diatom mud by the fan inside.



Lady Wash

Lady wash supplies a more generous and gentler cleansing stream for rinsing with care.



Adjustable Air Temperature

In the process of drying, press the "+" or "-" icon on the knob to increase or decrease the air temperature.



Adjustable Water Flow

Rotate the knob to adjust the water flow. The flow rate increases if rotate the knob clockwise, decreases if




E410

Integrated Intelligent Bidet


Dimension 593 X 385 X 352 mm

Remote control: D81-01, D81-02, D81-03

Wall Hung Version



Floor-standing Version



Technology Creates Fashion

E400 plus, more luxury experience.
Optional heating seat provides warmth and comfort.
Descaling ensures lasting and high performance.




E412

Integrated Intelligent Bidet


Dimension 593 X 370 X 459 mm

Remote control: D81-01, D81-02, D81-03

Wall Hung Version



Floor-standing Version




E420

Integrated Intelligent Bidet


Dimension 593 X 370 X 350 mm

Remote control: D81-01, D81-02, D81-03

Wall Hung Version



Floor-standing Version



Originality unparalleled.
Intimate warmth, unique experience.




E423

Integrated Intelligent Bidet


Dimension 593 X 370 X 350 mm

Remote control: D81-01, D81-02, D81-03

Wall Hung Version




Floor-standing Version



Intelligent Touch

Touch it , Love it




Rear Wash

Designed to meet thorough cleansing needs. Rear wash uses a soft peripheral and focused center stream on the body maximising cleaning efficacy.



Lady Wash

Lady wash supplies a more generous and gentler cleansing stream for rinsing with care.



Ambient light

Knob

Rotate the knob in the clockwise direction for "Lady wash" and the anticlockwise direction for "Rear wash".

E435

Integrated Intelligent Bidet




Dimension 581 X 370 X 350mm

Remote control: D81-04,D81-06



Detailed work, perfect creation

Wall Hung Version



E435


Integrated Intelligent Bidet

Dimension 698 X 370 X 760 mm

Remote control: D81-04,D81-06



Floor-standing Version





Temperature Indicator

- > Vacant: Room Temperature
- > Be Seated: Seat Temperature
- > In Washing Process: Water Temperature
- > In Drying Process: Air Temperature

Stop

Rear Wash

Lady Wash



Stop



Rear Wash

Designed to meet thorough cleansing needs. Rear wash uses a soft peripheral and focused center stream on the body maximising cleaning efficacy.



Lady Wash

Lady wash supplies a more generous and gentler cleansing stream for rinsing with care.

E450



Integrated Intelligent Bidet

Dimension 580 X 370 X 355 mm

Remote control: D81-04,D81-06



Wall Hung Version



E450



Integrated Intelligent Bidet

Dimension 693 X 375 X 780 mm

Remote control: D81-04,D81-06



Floor-standing Version



E451



Integrated Intelligent Bidet

Dimension 580 X 370 X 360mm

Remote control: D81-04,D81-06



Wall Hung Version



E451


Integrated Intelligent Bidet

Dimension 692 X 375 X 780 mm

Remote control: D81-04,D81-06



Floor-standing Version





Power Saving Mode

Nightlight Indicator

Deodorization Indicator



Rear Wash

Designed to meet thorough cleansing needs. Rear wash uses a soft peripheral and focused center stream on the body maximising cleaning efficacy.



Lady Wash

Lady wash supplies a more generous and gentler cleansing stream for rinsing with care.

E452


Integrated Intelligent Bidet

Dimension 565 X 368 X 347 mm

Remote control: D81-03



Technical Drawing



E453

Integrated Intelligent Bidet


Dimension 585 X 370 X 360 mm

Remote control: D81-03

Individually designed technical unit is easily taken out for maintenance, and Seat & Cover still remains for use.



Technical Drawing



E436


Integrated Intelligent Bidet

Dimension 597 X 370 X 323 mm

Remote control: D81-04,D81-06



Technical Drawing



E991


Integrated Intelligent Bidet Eco

Dimension 595 X 370 X 343 mm

Remote control: D81-04,D81-06



Technical Drawing



E800



Tankless Smart Toilet

Dimension 680 X 385 X 485 mm

Remote control: D81-09, D82-03





Technical Drawing











One for All
Smart bidet toilet with in-tank
Pleasant washing experience
Quiet and powerful flushing

Absolutely Discreet Elegance

Pure and Fuss-free Design



MODEL			
Function List	E435	E450	E451
Rear Wash	•	•	•
Female Wash	•	•	•
Oscillating Massage	•	•	•
Pulsating Massage	•	•	•
Oscillating and Pulsating Spray	•	•	•
Adjustable Water Temperature(5steps)	•	•	•
Adjustable Flow Rate(5steps)	•	•	•
Adjustable Spray Position(5steps)	•	•	•
Air Drying	•	•	•
Adjustable Dryer Temperature(5steps)	•	•	•
Deodoriser	•	•	•
Calcium Removal	•	•	•
Nozzle Self Cleaning	•	•	•
Nozzle Manually-Cleaning	•	•	•
User Model	•	•	•
Night Light	•	•	•
Ambient Light	—	—	—
Intelligent Power-saving	•	•	•
Soft Closing Seat and Cover	•	•	•
Body Knob	—	•	•
Remote Control	•	•	•
Rimless Toilet	•	•	•
Quick Release Toilet Seat	•	•	•
Seat Heating	•	•	•
Adjustable Seat Temperature(5steps)	•	•	•
Adjustable Airflow Rate (5steps)	•	•	•
Auto Flush	•	•	•
Auto Open/Close	•	•	•

				
E452	E453	E436	E991	E800
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	—	•
•	•	•	—	•
•	•	•	—	•
•	•	•	•	•
•	•	•	•	•
•	•	•	—	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	—	•
•	•	•	—	•
•	•	•	—	•
•	•	•	—	•

E551


Intelligent Bidet Seat

Dimension 520 X 370 X 110 mm

Remote control: D81-02



Technical Drawing



Elegant and Minimalist Design with a Simple and Intuitive Interface



E552


Intelligent Bidet Seat

Dimension 521 X 384 X 106 mm

Remote control: D81-02



Technical Drawing



Intelligence chose, Pleasure endowed



E553

Intelligent Bidet Seat

Dimension 520 X 384 X 119 mm

Remote control: D81-03



Varieties:



E553-0141

Dimension 520 X 370 X 119 mm
Remote control: D81-03, D81-05




E553-0121

Dimension 520 X 384 X 119 mm
Remote control: D81-03



Technical Drawing



E554

Intelligent Bidet Seat

Dimension 492 X 370 X120 mm

Remote control: D81-02



Varieties:



E554

Dimension 490 X 370 X 120 mm

Remote control: D81-02



E554-0021


Dimension 494 X 370 X 123 mm

Remote control: D81-02

Intelligent Bidet, Smarter Life



Technical Drawing



E560


Intelligent Bidet Seat

Dimension 520 X 369 X121 mm

Remote control: D81-10




Technical Drawing



WATER AND POWER SOLUTIONS FOR INTELLIGENT BIDETS

Mode I: Side Water Inlet & Back Power Supply



Mode II: Bottom Water Inlet & Bottom Power Supply



2 extra pre-drilled holes

Advantage: More compatibility

- Can match with users' existing ceramic


Advantage: More neat installation

- Pressure hose and power cord can be hidden under the ceramic.
- Compatible with Ocenwell's or users' pre-drilled ceramic.

S016
Non-electric Bidet Seat




Technical Drawing



F221
Non-electric Bidet Seat



Technical Drawing




F330

Non-electric Bidet Seat

The integral thermostatic valve provides you with a pleasant experience of warm water bidet.



Technical Drawing




Slim as a shuttle
Ultra-thin design brings more glamour



Intuitive Knob

Easy and Fuss-free Connection



WALL-HUNG CERAMIC TOILET SERIES

Say farewell to traditional floor standing ceramic toilets, wall-hung ceramic toilets overturn conventional perception, reflecting aesthetic feeling from the inside out. Humanized design gives you the warmth of home.



Ceramic toilet series

Model:T601W

Description: Rimless Wall-mounted WC

Flush System: Tornado flush

Outlet: Horizontal

Size(mm): 530W*360D*365H

Every exquisite conception and persistence reflects our pursuit of elegance and quality life




Tornado Flush



Rimless Design



Quick Release



Soft Close


F274



F271



Technical Drawing:



Ceramic toilet series

Model:T602W

Description: Rimless Wall-mounted WC

Flush System: Tornado flush

Outlet: Horizontal

Size(mm): 535W*365D*365H

Steady and elegant, beautiful and comfortable.
No need for complicated decorations, just a wave
can realize individualization.



Tornado Flush



Rimless Design



Quick Release



Soft Close



F241



F274




Technical Drawing:



Ceramic toilet series

Wall hung toilet creates more hygienic and neat space in the bathroom



Model:T606W

Description: Rimless Wall-mounted WC

Flush System: Tornado flush

Outlet: Horizontal

Size(mm): 490W*365D*365H



F241



F271



Technical Drawing:




Tornado Flush



Rimless Design



Quick Release



Soft Close

Ceramic toilet series

The modern bathroom emphasizes natural simplicity rather than deliberately piled up



Model:T607W

Description: Rimless Wall-mounted WC

Flush System: Tornado flush

Outlet: Horizontal

Size(mm): 530W*360D*355H


F241



F326



Technical Drawing:



Tornado Flush



Rimless Design



Quick Release



Soft Close

Cisterns

Firm outlines to change your private space magically



Mechanical Concealed Cistern Series

Cistern concealed in the wall makes your bathroom smarter and neater




Mechanical slim concealed flushing cistern




Universal Frame for Wall-hung WC CJ701 for front operation

Thickness of cistern 90mm, height 1160mm
Adjustable dual flush valve:3/4.5L, 3/6L,4/7L
Water supply connection G 1/2"
HDPE outlet bend




Universal Frame for Wall-hung WC CJ708 for front operation

Thickness of cistern 90mm, height 1160mm
Adjustable dual flush valve:3/4.5L, 3/6L,4/7L
Water supply connection G 1/2"
HDPE outlet bend




Universal Frame for Wall-hung WC CJ726 for front operation

Concealed cistern for front operated
Thickness of cistern 120mm, height 1100mm, width 350mm
Adjustable dual flush valve:3/4.5L, 3/6L,4/7L
Water supply connection G 1/2"




Universal Concealed Cistern CJ703 for front operation

Concealed cistern for front operated
Thickness of cistern 84mm, height 1100mm
Adjustable dual flush valve:3/4.5L, 3/6L,4/7L
Water supply connection G 1/2"




Universal Frame for Wall-hung WC CJ728 for front operation

Thickness of cistern 120mm, height 1100mm, width 350mm
Adjustable dual flush valve:3/4.5L, 3/6L,4/7L
Water supply connection G 1/2"
HDPE outlet bend














Universal Frame for Wall-hung WC CJ706 for front operation

Thickness of cistern 90mm, height 1160mm
Adjustable dual flush valve:3/4.5L, 3/6L,4/7L
Water supply connection G 1/2"
HDPE outlet bend



Flush Plates for Mechanical Concealed Cistern




Pneumatic slim concealed flushing cistern




Universal Frame for Wall-hung WC
CJ781 for front operation

Thickness of cistern 90mm, height 1160mm
Adjustable dual flush valve: 3/4.5L, 3/6L, 4/7L
Water supply connection G 1/2"
HDPE outlet bend




Universal Frame for Wall-hung WC
CJ720 for front operation

Range option for front or top operated
Thickness of cistern 135mm, height 820mm
Adjustable dual flush valve: 3/4.5L, 3/6L, 4/7L
HDPE outlet bend




Universal Frame for Wall-hung WC
CJ721 for front operation

Range option for front operated
Thickness of cistern 135mm, height 1160mm
Adjustable dual flush valve: 3/4.5L, 3/6L, 4/7L
HDPE outlet bend










Universal Concealed Cistern
CJ722 for front or top operation





Thickness of cistern 135mm, height 820mm
Adjustable dual flush valve: 3/4.5L, 3/6L, 4/7L
Water supply connection G 1/2"



Flush Plates for Pneumatic Concealed Cistern



Touchless Flush Plate




Touchless Flush Plate




NEW Concealed Flushing Cistern to Connect with Intelligent Bidet
 Universal Frame for Wall-hung WC

CJ794 for front operation

- Thickness of cistern 112mm, height 1160mm
- Adjustable dual flush valve: 3/4.5L, 3/6L, 4/7L
- Water supply connection G 1/2"
- HDPE outlet bend
- * Mechanical/Pneumatic/Sensor flush for option
- * Adjustable water flow rate: 1.6~2.2L/S
- * Water and power connection reserved for intelligent bidet



CJ794
 Universal Frame with Front Glass



options of flush plate



CJ501 CJ502 CJ508 CJ549 CJ550

Touchless Flushing



CJ529

options of flush plate



CJ501 CJ502 CJ508 CJ549 CJ550



Touchless Flushing



CJ529

CJ794
 Universal Frame with Height of 1160mm

CJ794
 Universal Frame with Height of 1050mm




options of flush plate



CJ501 CJ502 CJ508

Touchless Flushing



CJ549 CJ550




CJ529

options of flush plate



CJ501 CJ502 CJ508

Touchless Flushing




CJ549 CJ550



CJ529



CJ794
Universal Concealed Cistern without Frame



CJ732
Exposed Cistern




- * Size(mm): 420x390x135mm
- * Flush volume: 4L to 9L, adjustable
- * Quiet flushing
- * ABS cistern tank
- * Adjustable fixing distance: 202mm-340mm
- * Water connection on the left, right and in the middle at the back



Touchless Flushing

Concealed cistern

Super slim plate CJ527 made of glass offers elegance for high-quality bathrooms;
Capacitive sensor technology permits hygienic and touchless actuation of the flush for toilets;
Easy for installation and maintenance;
Powered by 4 pieces AA batteries;




Humanization design, Intelligent flushing

Touchless Flushing

Concealed cistern

- * Super slim push plate CJ529 made of glass offers elegance for high-quality bathrooms
- * Pneumatic flushing:
Press the pneumatic buttons to start the flushing.
- * Hand-waving sensor flushing:
Put your hand close to the flushing sensor area and then leave, it will start the corresponding full /half flush
- * Automatic flushing:
full flush: when the sensor detects person more than 60 seconds, start the full flush
half flush: when the sensor detects person for 10 seconds to 60 seconds, start half flush
- * Cleaning mode:
In the cleaning mode, the automatic flushing and Hand-waving sensor flushing will stop working for 3 minutes. It can be pre-set for 3 minutes, and this can be canceled in advance through the settings.
- * Anti false touch function:
Any flushing mode activated by sensor can be stopped immediately by pressing the pneumatic flush button.





Humanization design, Intelligent flushing

Flush Valve with Capacitive Sensor

Ceramic tank

No hole is needed on the ceramic tank, just wave your hand above the indicated spot to activate the auto flushing;
 Integrate the sensor and control box to one-piece body, easy to fix;
 Specially designed button helps you to adjust the position of the control box very easily and quickly.
 Two sizes of flush valve base for your choice.
 Hand pulling lever for manual flushing in case of failed battery.
 Comparatively closer sensor distance and pneumatic system,
 Available with 4 AA batteries;



Touchless flushing ceramic tank

Cabinet Cistern Concept of Design

The smart look and integrated intelligent internal system make it a perfect choice.

Brand new installation mode of modern bathroom concept gives you simple and fresh feeling.

Quick and easy installation way brings you incomparable convenience for maintenance. A new way to connect the ceramic and the bathroom wall enables you to better and more flexibly make use of the space.

It can be compatible with diversified ceramics, intergrated with intelligent flushing and smart warm water washing function, offering you a brand new and pleasant bathroom experience.



Color for front glass

- black
- white

Color for cistern cover

- black/brushed aluminum
- white/brushed

Color for side frame

- brushed aluminum
- matt aluminum

Flushing choice

- Pneumatic flushing
- Capacitive sensor flushing

Adjustable dual flush valve

- 3/6 L
- 3/4.5L

Application

- back-to-wall ceramic pans
- wall-hung ceramic toilets

Touchless Flushing



Cabinet cistern

with Capacitive Sensor Flush Valve CJ809

Wave hand above the indicated spot on the right corner of the top glass to activate dual flush ;

Magnetic lock for top glass cover, removable, easy for tank maintenance;
Removable front glass for easy installation;


Tempered glass with anti-explosion film provide smore safety and confidence;

HDPE tank, with high strength and anti-aging performance;

Manual flushing button available in case of failed battery;

Galvanized frame with strong anti-corrosion performance;
with loading capacity of 400kgs in accordance of CE standard;

Modular control box, easy for installation; 4pcs AA battries
with water proof design.



Cabinet cistern

with Capacitive Sensor Flush Valve
CJ805

Wave hand above the indicated spot on the right corner of the top glass to activate dual flush ;

ABS coated cover, easy for tank maintenance
Removable front glass for easy installation;


Tempered glass with anti-explosion film provides
more safety and confidence;

HDPE tank, with high strength and anti-aging performance;

Manual flushing button available in case of failed battery ;

Frame with strong anti-corrosion performance, loading
capacity of 400kgs in accordance with CE standard;

Modular control box, easy for installation; 4pcs AA batteries
with water-proof design;



Touchless Flushing



Various flushing options:
 Capacitive sensor
 Microwave sensor
 Remote control



Touchless Flushing

Cabinet cistern

Auto Flush Multi-functions CJ806

More luxury and intelligent experience

Silver painted top cover, removable, easy for valves maintenance.




Aluminum side frame with high resistance to corrosion.

Tempered glass with edge embedded around the top cover and side frame, looks more neat.

HDPE tank, with high strength and anti-aging performance.


Steel galvanized inside frame with corrosion resistance and strong enough for a loading of 400kg.

Adjustable heights to fit various toilets, available for both wall-hung and back-to-wall toilets.



Pneumatic Flushing Cabinet Cistern CJ809

Pneumatic dual flushing by manual button;
 Aluminum side frame with high resistance to corrosion;
 Magnetic lock for the top glass cover, removable,
 easy for tank maintenance;
 Removable front glass, easy for installation;
 Tempered glass with anti-explosion film provides
 more safety and confidence;
 HDPE tank, with high strength and anti-aging performance




Pneumatic Cabinet
Cistern CJ804




CJ804
Right Angles
Brushed Aluminum frame

- Pneumatic dual flushing by manual button;
- Aluminum side and top frame with high resistance to corrosion;
- Removable front glass, easy for installation;
- Tempered glass with anti-explosion film provides more safety and confidence;
- HDPE tank, with high strength and anti-aging performance;



Pneumatic Cabinet
Cistern CJ805

For 300mm distance from the wall to the center of drainage
Supplied with Cabinet cistern (CJ805)+Toilet+ Sewerage Pipe



Specifications:


Cabinet cistern size:

Length: 1000mm Width: 483mm Thickness: 108mm

Toilet Size:

Length: 542mm Width: 363mm Height: 395mm

Application: around 300mm (290~315mm) distance from the wall to the center of drainage





CJ806
Round Angles
Matt Aluminum Frame

Cabinet cistern

Pneumatic Cabinet Cistern CJ806

Wave hand above the indicated spot on the right corner of the top glass to activate dual flush ;


Magnetic lock for top glass cover, removable, easy for tank maintenance;

Removable front glass for easy installation;

Tempered glass with anti-explosion film provides more safety and confidence;


HDPE tank, with high strength and anti-aging performance;

Galvanized frame with strong anti-corrosion performance; with loading capacity of 400kgs in accordance of CE standard;



British-Style Cabinet Cisterns

Aluminum alloy side frame with high resistance to corrosion;
Top glass cover, removable, easy for tank maintenance;
Removable front glass, easy for installation;
Tempered glass with anti-explosion film provides more safety and confidence;
HDPE tank, with high strength and anti-aging performance.



CJ902 Right Angle

Aluminum side frame, with brushed finish, Top glass cover, Pneumatic dual flushing by manual button



CJ903 Round Angle

Aluminum side and top frame, with matt finish, Pneumatic dual flushing by manual button



Flush Buttons for Pneumatic Cabinet Cistern



J510

ABS-Satin Chrome ABS-Polished Chrome

J511

ABS-Satin Chrome ABS-Polished Chrome

J512

ABS Satin Chrome ABS Polished Chrome White/Polished Chrome ABS Black/Polished Chrome

J513

ABS-Satin Chrome ABS-Polished Chrome

J515


ABS-Satin Chrome ABS-Polished Chrome

J518


ABS Polished Chromed Frame With Acrylic Black/white Buttons

Pipes and Fixations


J357
Flush bend set
PVC $\Phi 90 / \Phi 110$




2250100-01-1
Eccentric pipe set
PVC $\Phi 88 / \Phi 112$




J324
Flush bend set
PVC $\Phi 90 / \Phi 110$




2250102-01-1
Drainage pipe set
PVC $\Phi 90 / \Phi 108$




J910
Eccentric pipe set for wall hung toilet
PVC $\Phi 110$




2250103-01-1
Drainage pipe set
PVC $\Phi 88 / \Phi 112$




J911
Flush bend set
PVC $\Phi 90 / \Phi 110$




2250104-01-1
Straight pipe set
PVC $\Phi 89 / \Phi 109$




J384
HDPE pipe
 $\Phi 50 * \Phi 44$



239J743-E03-01
Acoustic insulation pad
EPE 400*368*5



J385
HDPE pipe
 $\Phi 50 * \Phi 40$




Pipes and Fixations

239000-E14-01

Acoustic insulation pad



EPE 420*368*6~8



CZ206-a

Toilet fixing accessory



PA 69*192



CZ206-b

Top fixing accessory


PA 69*105



CZ185

side fixing accessory


PA 48.8*75.6



CZ186

bottom fixing accessory


PA 256.8*75.6



CZ106-B

Top fixing accessory

PA



A series of care products specially designed for care house, nursing institution and full level access toilet in public for those who live with restricted mobility or disability




Electric Toilet Booster CL002

Effort-saving solution with adjustable toilet height and position to raise body up from the toilet




Technical Drawing





Can be supplied with intelligent bidet, providing the most care and convenience.



Easy access design with operation buttons on the right armrest, for raising body up from the toilet



Intelligent Bidet with side control buttons, convenient for operation



Tilted

Adjustable height of support on the ground suitable for different height of floor-standing and wall-hung toilets

Adjustable range:

Tilt lift angle: 0° ~ 15°

Max. Load: 200kgs

Material:

Backrest: PU soft material with multi-layer plywood and steel support inside

Armrest: PP with steel support inside

Booster Body: Steel panel with coating finish

Protective cover: Plastic PS

Intelligent Bidet

The intelligent bidet with side control buttons, provides more convenience, comfort, and hygiene




Armrest:

Ergonomically designed armrest provides much comfort, easy to remove and install;
Foldable arm design to save space, with max. load of each side: 100KGS,
Three installation height positions for armrest and backrest, with the interval of 20mm





Electric Toilet Lifter CL003




Floor Drainage



Wall Drainage




Electric Toilet Lifter
CL003



Supplied with integrated intelligent bidet, providing more convenience, comfort, and hygiene



Easy access design with operation buttons on the right armrest, for rising and falling of the toilet



Remote control for the intelligent bidet

Adjustable Height Range: 0~200mm

The distance from the top of the ceramic to the floor is around 410~610mm

Material:

Backrest: PU soft material with multi-layer plywood and steel support inside

Armrest: PP with steel support inside

Cabinet Cistern: Aluminum side + steel frame support+ tempered front glass

Armrest:

Ergonomically designed armrest provides much comfort, easy to remove and install;

Foldable arm design to save space ;

Max. load of each side: 150KGS ;

Max. load: 400 KGS

Intelligent Bidet

The Integrated intelligent bidet with remote control provides more convenience, comfort, and hygiene.

Cabinet Cistern:

Cabinet and protective cover in hierarchical design to look more slim

Removable top cover, easy for cistern maintenance

Aluminum alloy side frame and tempered front glass provide luxury style

Drainage:

Floor drainage: (H)1099~1299 mm* (W)543mm * Thickness 163mm

Wall drainage: (H)1099mm~1299mm* (W)543mm *


Thickness 212mm

Flexible floor drainage and wall drainage pipe for option with the flexible rubber outlet



Electric Toilet Lifer with Bidet Functions



Pull up: toilet rising



Push down: toilet falling



Quick press and release for bidet washing
Keep pressing for more than 2s to activate toilet flushing

Electric Toilet Lifter

Adjustable Height Range: 0~150mm

The distance between top surface of toilet and the ground is 400~550 mm

Material:

Internal frame: steel with coating
Panel: tempered glass



Max. Load: 400 kgs

Concealed cistern:

Supplied with concealed cistern, saving more space for bathroom

Intelligent bidet:

Supplied with integrated bidet with side control buttons provides more convenience, comfort, and hygiene
Applicable for both floor drainage and wall drainage, and the sewage pipe and flushing pipe are made of flexible rubber pipe.





Manual Toilet Lifter

Adjustable Height Range: 0~90mm

The distance from the centre of the flushing pipe to the floor is 325~415mm

Material:

Main part of frame: steel with coating

Max. Load: 400 kgs

Intelligent bidet:


The Integrated intelligent bidet with control button and remote control provides more convenience, comfort, and hygiene

Concealed cistern:

Supplied with concealed cistern, saving more space for bathroom



Just rotate the screw in the maintenance box, to raise or lower the toilet, convenient and fast





Electric Wash Basin Lifter CL004

Adjustable Height Range: 0~250mm

The distance between the top surface to the floor is
660~910mm

Material:

Wash basin: resin man-made marble in glossy or matte surface
Cabinet Cistern: Aluminum side + steel frame
support+ tempered front glass

Max. Load of the Lifter : 200 KGS

Cabinet:

Cabinet and protective cover in hierarchical design to make
the visual sense more slim
Removable top cover, easy for maintenance
Aluminum alloy side frame and tempered front glass
provide luxury style.

EVA pipes for both floor drainage and wall drainage




Easy access design with operation buttons in the
front of the basin for rising and falling of the basin
to certain height



Grab rails at two sides help the user to
reach the basin

Easy reach to towels on both sides of
the wash basin



Electric Kitchen Hearth Lifter



Adjustable Height Range: 0~400mm

The distance between the top of the kitchen hearth and the ground is 623~1023mm

Max load for each side of lifting pillar : 200 KG

Overload protection is equipped in the hearth lifter

Material:

Lifting pillar Frame : Aluminum Alloy

Decorative Board : multi-layer solid wooden boards

Hearth frame : Aluminum Alloy

Face Board: Artificial Stone




Operation Panel

Operation panel is set on the right side of the hearth

Operation panel can display the current height (on the blank side of panel), and can also set the highest and lowest position;

Operation panel has 4 preset heights, and the frequently-used height can be memorized by pressing the M key



Foldable Wall Hung Shower Seat
 Free lifted armrest and seat to make the optimum use of available space
 Different heights for armrest and backrest to ensure the best using experience
 A new solution for the coexist of comfort and limited space





Shower Seat CL001

Max. load for armrest (each side):100 kgs

Max. load for shower seat:160 kgs

Material :

Backrest and Shower seat: PU soft material with multi-layer
 Armrest: PP with steel support inside





Easy Close and Lift, Foldable, Space-saving

Anti fall, anti slip and anti static at room temperature



Small Size, Big Loading Capacity




Bathroom safety seat for a relaxing, slip-proof shower

Comfort model



Shower Seat F306

High Quality Urea Formaldehyde Panel
 Anti-Scratch, No Yellowing, No Deformation
 With Aluminum Alloy Support Base
 Max. load of 200kg



Thin as paper, hard as steel

Super slim, can be hidden behind the door, practical and aesthetic



Anti-scratch surface, resistant to deformation even in high temperatures



Smooth and safe edges to avoid bumping, no water accumulation and no yellowing of the panel




Aluminium alloy support, excellent strength, easy to bear 200KG

Affordable luxury model



Shower seat with back-rest F306NB

A range of care products designed for care homes,
care institutions and public full floor accessible
toilets for individuals with restricted mobility and disabilities



Silent folding, Anti-scratch, No discoloration

Ergonomically designed backrest, for greater comfort





Shower seat with back-rest

Suitable for the elderly, pregnant women, people who are unable to stand for a long time, and people of various heights

Lifting shower seat CL005

The cabinet can be lifted freely, suitable for the elderly, pregnant women, people who are unable to stand for a long time and people of various heights

